

型号: YC-2032-DIP0B 高度: 6.0mm 间距: 22.5mm 适用: 2032电池



型号: YC-2032-DIP0C 高度: 6.3mm 间距: 20.4mm 适用: 2032电池



型号: YC-2032-DIP0F 高度: 6.0mm 间距: 20.8mm 适用: 2032申池



型号: YC-927-DIP0D 高度: 5.0mm 间距: 11.0mm 活用: 927申池



型号: YC-1220-DIP0D 高度: 4.3mm 间距: 12.8mm 适用: 1220电池



型号: YC-1616-DIP0D 高度: 2.0mm 间距: 17.2mm 适用: 1616申池



型号: YC-1632-DIP0D 高度: 5.8mm 间距: 17.2mm 适用: 1632电池



型号: YC-2025-SMT0J 高度: 5.5mm 间距: 21.2mm 适用: 2025电池



型号: YC-3032-SMT0B 高度: 6.5mm 间距: 30.0mm 适用: 3032电池

电池座系列 Battery Holders



型号: YC-2450-DIP0C1 高度: 9.0mm 间距: 25.5mm 适用: 2450电池



型号: YC-2450-DIP0C2 高度: 8.3mm 间距: 25.5mm 适用: 2450电池



型号: YC-2477-DIP0C2 高度: 11.3mm 间距: 25.5mm 适用: 2477电池



型号: YC-2032-SMT+D.-H11 正极: 11.0mm 负极: 11.0mm 适用: 1632、2032电池



型号: YC-2032-SMT+E.-H15 正极: 11.0mm 负极: 15.0mm 适用: 2032电池



型号: YC-2450-SMT+F.H11 正极: 32.0mm 负极: 11.0mm 适用: 2450电池



型号: YC-SMT-B7 直径: 7.0mm 厚度: 0.25mm 适用: 负极垫片



型号: YC-SMT-E105 宽度: 10.5mm 厚度: 0.15mm 适用: 负极弹片





型号: YC-AA+-DIPOA 宽度: 8.0mm 高度: 12.0mm 适用: AA、AAA、0R123A